## **NEUROLOGIC EXAM CERTIFICATION FORM**

New examiners should review the study protocol and training slides prior to completing the certification form.

Check box if examiner is Gold		Evaminer Name	Evaminar Nama		onth Day	/ <b>20</b>
exam is conducted by physicia be certified, provide name of 0	•	Examiner Name		1410	ontin buy	, icui
Examiner:		Site Name		Time of Exam:: Hour Minute		
Infant #(refer to infant by number. Initials or names should not be used)  1. Does the infant have seizures?  2. Is the infant sedated/paralyzed?  Y N  Complete Scoring using Definitions for Neurologic Examination and after viewing: Screening for Neurologic Exam for Therapeutic Hypothermia PP						
The 6 CATEGORIES:	TEGORIES: SIGNS OF HIE IN EACH CATEGORY					
	NORMAL/ MILD HIE	MODERATE HIE	<u>SEVERE HIE</u>		Your Determination:	
1. LEVEL OF CONSCIOUSNESS	1	2 = Lethargic	3 = Stupor/coma			=
2. SPONTANEOUS ACTIVITY	1	2 = Decreased activity	3 = No activity			=
3. POSTURE	1 1	2 = Distal flexion, complete extension	3 = Decerebrate			=
4. TONE	1	2a = Hypotonia (focal or general) 2b = Hypertonia	3a = Flaccid 3b = Rigid			= (note a or b)
5. PRIMITIVE REFLEXES		•	ı			Code highest level
Suck	1	2 = Weak or has bite	3 = Absent		=	
Moro	1	2 = Incomplete	3 = Absent		=	
6. AUTONOMIC SYSTEM						Code highest level
Pupils	1	2 = Constricted	3 = Deviation/dilat	ted/non-reactive	=	
Heart rate	1	2 = Bradycardia	3 = Variable HR		=	
Respiration	1	2 = Periodic Breathing	3 = Apnea requirin 3a= on vent w/ 3b= on vent w/	-	=	(if vent, code a or b)
3. Total # Categories should be NO MORE THAN 6 (Count Only the Highest Level in each sign)						
#Mild/Normal #Moderate # Severe						
If Moderate equal Severe, use level of consciousness as tie breaker: Moderate or Severe  The level of encephalopathy will be assigned based on which level of signs (moderate or severe) predominates among the 6 categories. If moderate and severe signs are equally distributed, the designation is then based on the highest level in Category #1: The level of consciousness. An infant may also qualify if there are seizures either alone or with a normal/mild neurological determination.  4. Signs of moderate or severe HIE in at least 3 of the 6 categories above?  Y  N (circle one)  Does this infant qualify for therapeutic hypothermia based on the exam findings? Y N (circle one)						
5. Does this infant quality for therapeutic hypotherina based on the examindings: 1 N (circle one)						
Examiner approved? Y	N (circle one) Rev	iewer Signature:			Date:	// 20

Email PDF to Dr. Mike Weiss (<u>weissmd@peds.ufl.edu</u> and Livia Sura (<u>livia.sura@peds.ufl.edu</u>) (Retain copy in cooling site's Training/Regulatory Binder.

Adopted from: A Phase II Multi-site Study of Autologous Cord Blood Cells for Hypoxic Ischemic Encephalopathy (HIE), 2017 (BABYBAC II).